



Marilyn M Huston
Direct: 832-446-2421
mhhuston@counselip.com

Monday, April 17, 2006

Filed by EFS

ATTN: Certificate of Correction Branch
COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450

In Re Patent No.: 7,026,468 Issued: Apr. 11, 2006
For: Process and Equipment for Plasmid Purification
Docket No: 213-0060

Dear Sirs and Mesdames:

Upon review of the above referenced patent, typographical errors on the part of the PTO have been detected. The Assignee has authorized Wong Cabello to respectfully request correction as per the attached Certificate of Correction. With reference to the corrections, identification of the proper text can be found in the originally filed application.

Specifically:

- The correct text in the abstract can be found on page 57, lines 4 and 7 of the application as filed.
- The correct text for col. 5, line 58 of the patent can be found on page 14, [0028], line 6 of the application as filed.
- The correct text for col. 8, line 6 of the patent can be found on page 21, [0044], line 1 of the application as filed.
- The correct text for col. 10, line 10 of the patent can be found on page 27, [0055], line 3 of the application as filed.
- The correct text for col. 15, line 38 of the patent can be found on page 42, [0099], line 1 of the application as filed.
- The correct text for col. 15, line 59 of the patent can be found on page 43, [00108], line 1 of the application as filed.

It is not believed that any fees are due but, should such fees be required, please consider this an authorization to charge Deposit Account No. 50-1922. Please call Applicant's attorney at 832-446-2421 should there be any questions regarding this submission.

Very truly yours,

Marilyn M. Huston
Wong Cabello Lutsch Rutherford & Brucculeri, LLP
20333 SH249, Suite 600
Houston, Texas 77070

CERTIFICATE OF EFS Submission
I hereby certify that this correspondence is being
deposited with the United States Patent Office EFS
Portal on April 17, 2006.

Marilyn M. Huston

Enclosures: Certificate of Correction Form PTO/SB/44(04-05)